

Herald Resources Limited

West Parth WA 6005

PO Box 893 West Perth Western Australia 6872

Tel Fax Email Web (08) 9322 2788 (08) 9481 1669 hri@herald.net.au www.herald.net.au

DATE: 5 June 2002 EXEMPTION #82-4295



SECURITIES & EXCHANGE COMMISSION

Division of Corporate Finance
Office of International Corporate Finance
Room 3045, STOP 3-4
Judiciary Plaza
450 Fifth Street, NW
Washington DC 20549
USA

JUN 1 3 2002

THOMSON FINANCIAL

ON SU

5 pages follow

By Fax: 1 202 942 9624

Re: Rule 12g3-2(b)

(82-4295)

On behalf of Herald Resources Ltd (the "Company"), a company incorporated in Australia, I am furnishing herewith the below listed document(s) pursuant to Rule 12g3-2(b) (iii) under the Securities Exchange Act of 1934 ("Exchange Act"):

Document Description / Date

Coolgardie Drilling dated 5 June 2002

Yours faithfully

Dhaf

M P WRIGHT
Executive Director

Enc:

M 6/10



Herald Resources Limited

ACN 008 672 071 ABN 15 008 672 071 Level 3 60 Colin Street Wast Perth WA 6008

PO Box 893 West Perth Western Australia 6872

Tel Fax Email Web (08) 9322 2788 (08) 9481 1689 hri@herald.net.au www.herald.net.au

5 June 2002

The Manager, Companies
The Australian Stock Exchange
Level 10
20 Bond Street
SYDNEY NSW 2000

By Facsimile: 1300 300 021

4 pages follow

Dear Sir

COOLGARDIE DRILLING

Coolgardie Joint Venture (Herald 50%)

A total of 3520m of RC drilling and 195m of diamond coring have been completed in 28 holes since the commencement of the 2002 drilling program. Drilling has been at Battery, Empress South, Lady Loch, Surprise, and Greenfields. Details are shown in Table 1.

Battery

Coolgardie Joint Venture 100% below 30 metres)

RC drilling was carried out at 40m line-spacings to provide a first-pass test of the Battery section of the Brilliant-to-Rose Hill zone. All holes were drilled on Brilliant grid co-ordinates. A total of 13 holes were drilled over 360m strike between 1340N and 1700N.

The program has defined two right-lateral NNE fault offsets of the Brilliant contact. The southernmost is near the southern boundary of the battery lease (between 1340N and 1480N) and corresponds to the Redemption Fault corridor, whilst a northern fault located at ~1680N truncates the south end of the Rose Hill mineralisation.

Drillholes intersected both hangingwall and footwall diorite lodes. On the northern side of the Redemption Fault, significant quartz veining was also intersected in hangingwall ultramafic.

Assay results have been returned from all holes. Several Brilliant-tenor intercepts were returned from portions of the sequence, either in hangingwall or footwall positions, but the potential for a continuously mineralised surface extending south from Rose Hill has been discounted.

Best mineralisation was returned from a hangingwall lode position (HW1) located on the northern side of the Redemption Fault. Intercepts of 6m @ 5.53g/t Au in TNG1732 and 4m @ 11.10g/t Au in TNG1733 (see attached table) on consecutive sections are open at depth, and are supported by previous shallower RC holes. A possible strike length of 70m is indicated.

A second hangingwall lode (HW2) was intersected at 1540N in TNG1736 (9m @ 3.06g/t Au) in quartz veined diorite. Mineralisation is open at depth, and to the south. A possible 80m strike length could be defined here.

Broad intercepts of footwall mineralisation (FW2) were intersected toward the end of drillholes TNG1737 (22m @ 1.92g/t Au) and TNG1740 (7m @ 2.07g/t Au). Mineralisation comprises disseminated sulfide mineralisation in both basalt and diorite, and may extend over 130m of strike. This zone underlies infrastructure and housing associated with the Battery, and the Norseman water pipeline.

Two follow-up RC holes are proposed as part of the current program to test the HW1 intercepts at depth. Additional drilling may be warranted on HW2 and FW2 in the future.

Two holes were completed to test the eastern ultramafic contact (King Solomon contact) around the Redemption Fault. No significant vein or lode material was intersected.

Empress South

Drilling was designed to test both stockwork and high grade vein mineralisation. Results included 9m @ 1.49g/t Au in TNG1722R; 3m @ 2.09g/t Au, 1m @ 5.90g/t Au and 3m @ 2.33g/t Au in TNG1723R; 1m @ 59.3g/t Au in TNG1724RD and 1.5m @ 3.45g/t Au in TNG1725RD.

Some additional RC drilling may be warranted to test the potential for Empress Vein mineralisation in the untested 220m segment of the Redemption Fault south of 8980N, and to continue to test the southern plunge extensions of the stockwork mineralisation in TNG1722R (9m @ 1.49g/t Au).

82-5097

The resource estimates were carried out by independent mining consultants Venmyn Rand (Pty) Ltd and is reported in accordance with the JORC/SAMREC code, dated 06 March 2002.

The mineral resources and reserves quoted above do not take into consideration the North Hill, Mtshingwe Block and Far South Block resources for which specific grades have not been defined. These blocks are independent of the Mirnosa Mine which is located on the South Hill Block. The opencast resources do not convert into reserves as they do not fall into the current mine plan.

The Measured and Indicated Mineral Resources are inclusive of those Mineral Resources modified to produce the Mineral Reserves.

This transaction is subject to the approval of the transaction by the Mauritius Offshore Business Activities Authorities and the listing of the new Aquarius Platinum shares issued as consideration for the acquisition on the London Stock Exchange (AIM Division) and the Australian Stock Exchange.

For further information please contact:

In Australia: Ed Nealon Aquarius Platinum (Australia) Limited +61 8 9485 2111

In South Africa: Stuart Murray Aquarius Platinum (South Africa) Pty Limited +27 11 455 2050

Charmane Russell +27 82 372 5816 or: Janice Dempsey Russell & Associates +27 44 880 3924 +27 82 376 2327 In United Kingdom:
Tim Blackstone
Blackstone Business Communications
+44 207 251 2527
or:
Matt Sutcliffe
Beeson Gregory

+44 20 7488 4040

Yours faithfully

aquarius platinum limited

WILLI BOEHM Company Secretary

Lady Loch, Surprise

619-4815113

Two holes were drilled at each prospect with structurally controlled high grade veins being the target. The holes failed to intersect any significant mineralisation.

Greenfields Resource

Drilling has started on a 6-hole RC and 2-hole DDH test of the central portion of the resource.

To date two RC holes have been completed on 10m intermediate sections (Table 1). Both intersected altered and mineralised material. No results have been returned to date.

Yours faithfully

M P Wright

Executive Director

Enc:

NOTE: Sections of the information contained in this report are based on information compiled by or supervised by: Mr B Kirkpatrick BSc, MAusIMM, MAIG, a full – time employee of Herald Resources Limited, who is a Corporate Member of the Australian Institute of Mining and Metallurgy and who has had more than five years relevant experience.

• (

Table 1 Program 1: Results to 31 May 2002

Hole	1	Grid	Grid	Dip	Magnetic	Total	Significant Results (1.0 gpt Au lower cut off grade)				
Yumber	Prospect	North	East	1	Azimuth	Depth	From	To	Interval	Grade	Lode
	}					(m)	(m)	(m)	(m)	(gpt Au)	
NG1722-R	Empress 5th	9000.00	4877,10	-60.00	90.00	132.00	84.00	93.00	9.00	1.49	Empress8th Stockwork
ING1723-R	Empress Sth	8980,10	4878,80	-60.00	90.00	108.00	40.00	43.00	3,00	2.09	Western Stockwork
							54.00	55.00	1.00	5.90	Empress Vein
							80.00	00,68	3.00	2.33	EmpressSth Stockwork
INGI724-RD	Empress Sth	9040.00	4859.80	-60.00	90,00	171.00	83.00	84.00	1.00	59.30	Western Stockwork
TNG1725-RD	Empress Sth	9060.00	4865,50	-60.00	90.00	163.20	129,00	130,50	1.50	3,45	EmpressSth Stockwork
TNO1726-RD	Empress Sth	9080.10	4857.90	-60,00	90.00	210.50				NSR	
TNG1727-R	Lady Loch	6571059.00	327034,20	-60.00	225.00	120.00				NSR	Lady Loch Vein
TNO1728-R	Lady Loch	6571062.20	326999.60		225.00	114.00				NSR	Lady Loch Vein
	Surprise	6570956,40			180.00	120,00	 			NSR	Surprise
TNG1730-R	Surprise	6570940.00	326990.90		180.00	90.00	 			NSR	Surprise
11.01730-R	Daibitse	0370340.00	320770.70	-00.00	100.00	70.00	<u> </u>			NOR	Durpriac
TNO1731-R	Battery	1340.42	462.01		249.00	144,00	71.00	73.00	2.00	1.99	HWI
							84.00	85.00	1.00	9.75	HW QV
							112.00	113.00	1.00	9,50	CL
							117.00	120,00	3.00	3.44	FWI
TNO1732-R	Вапегу	1380.82	448.77	-60.00	249,00	109.00	56.00	62.00	6.00	5.53	HW1
TNG1733-R	Battery	1419.32	497 60	-60.00	249.00	128.00	66,00	72.00	6,00	1.45	HW2
ING1/33-R	Battery	1419.32	483.63	-6ม.บบ	249,00	128.00	92.00	96.00			HW1
									4.00	11.10	
							98.00	104.00	6,00	1.50	HWQV CL
							110.00	111.00	1.00	3.25	<u> </u>
ING1734-R	Battery	1418.37	452.08	-60,00	249.00	91.00	56.00	64.00	8.00	4.59	HW1
1101/346	Battery	1410.37	432,08	700,00	249.00	91.00	77.00	79.00	2,00	3.97	FWI
						····	11.00	19.00	2.00	3.91	FWI
TNG1735-R	Battery	1461.87	453.45	-60,00	249.00	109.00	54.00	55.00	1.00	12.90	HW QV
1101733-8	Danet	1101.01		-00,00	215.05	707100	80,00	82.00	2.00	1.62	CL
							89.00	90,00	1.00	3.45	FW1
							1 32.133	25,140			
TNG1736-R	Battery	1536,03	455.39	-60.00	249.00	127.00	31.00	40.00	9.00	3.06	HW2
		3,7,145					96,00	99.00	3.00	2.10	CL
						¥					
TNG1737-R	Battery	1577.14	434.75	-60,00	249.00	139.00	29,00	31.00	2.00	1.81	HW2
			12 //				84.00	87.00	3,00	2.12	CL
							104.00	128.00	22.00	1.92	FW2
INO1738-R	Battery	1620,35	451.26	-55.00	249.00	135.00				NSR	
			75.4				 				
NO1739-R	Bartery	1702,31	429.86	-55,00	249,00	97.00				NSR	
ING1740-R	Battery	1661.04	417.83	-55.00	249.00	139.00	120.00	127.00	7.00	2.07	FW2
	Dakery	7001.04	117.03	199,00	245,00	137.00	***************************************	12/100	1120	2,07	
TNG1741-R	Battery	1500.59	426.00	-60.00	249.00	87.00	5.00	10.00	3.00	1.14	HW2
							53.00	56.00	3.00	2.44	CL
			· — †								
ING1742-R	Battery	1537,61	578.38	-60.00	249.00	100.00				NSR	
NG1743-R	Battery	1458,60	622.49	-60.00	249.00	145.00				NSR	
A (UU) Ani	When Lette	soco ooT	6220.00	00.001		150.00			т	Men	
IBMWHMI	Three Mile	5050,00	5230.00	-90.00	<u>na</u>	150.00	 			NSR	
TMHWMB2	Three Mile	4980.00	4860.00	-90.00	na	67.00				NSR	
· ····································	THE PARTY OF	7,50.00	7000.00	20.00		07100					
	Three Mile										
TMHWMB2A	K K	4975.00	4870.00	-90.00	na	150.00				NSR	
							1				
	Three Mile		i	U U							

Hole Number	Prospect	Grid North	Grid East	Dip	Magnetic Azimuth	Total Depth (m)	Significant Results (1.0 gpt Au lower cut off grade)				
							From (m)	To (m)	Interval (m)	Grade (gpt Au)	
TMHWMB4	Three Mile Hill	4960.00	5180.00	-90.00	na	156.50				no assays	
GFR429	Greenfields	30210.00	50355.00	-€0.00	20.00	110.00				no assays	
GFR430	Greenfields	30230.00	\$0322.00	-€0.00	20.00	150.00				no assays	
					Totals	3715.20					

italics= not surveyed yet